Safety Data Sheet (SDS)

Revision Number: 3.0		Last updated: March 25, 20
1. Identification		
Product Name:	Pluror	nic® F - 127, 10% solution in water
Recommended use/restrictions on use:		search use only. Not intended for food, drug, household, ltural or cosmetic use.
Manufacturer/Distributor:		bec, Inc.
·	-	anaspec.com
		Campus Drive
		-
		ont, CA 94555
		10-791-9560
		10-791-9572
	Email	: <u>service@anaspec.com</u>
Catalog Number:	AS-84	4042
2. Hazards Identification		
GHS Hazard Classification:		
GHS Physical Hazards:		
Skin irritation (Ca	ategory 3)	
GHS Health and Environmental Hazards	:	
GHS Signal Words: Warning		
GHS Hazard Statements:		
Causes mild skin	n irritation	H316
GHS Hazard Symbol/Pictogram:		
GHS Precautionary Statements:		
Description of any hazards not otherwise	classified:	N/A
Description of any unknown acute toxicit	y: N/A	

HMIS Classification

Health hazard: 1 Flammability: 0 Physical hazards: 0

NFPA Rating

Health hazard: 1 Fire: 0 Reactivity Hazard: 0

3. Composition / Information on Ingredients

Ingredien	gredients/Components:					
	Chemical Name and Synonyms:	CAS Number:	Molecular Formula:	Molecular Weight:		
	Pluronic F127	9003-11-6	<i>N/A</i>	<i>N/A</i>		
	water	7732-18-5	H_2O	18		

4. First Aid Measures

Inhalation:	If dust is inhaled, remove from contaminated area.
	Encourage patient to blow nose to ensure clear passage of breathing.
	If irritation or discomfort persists seek medical attention.
Ingestion:	If swallowed do NOT induce vomiting.
	If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open
	airway and prevent aspiration.
	Observe the patient carefully.
	Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
	Seek medical advice.
Skin:	If skin or hair contact occurs:
	Flush skin and hair with running water (and soap if available).
	Seek medical attention in event of irritation.
Eyes:	If this product comes in contact with the eyes:
	Wash out immediately with fresh running water.
	Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by
	occasionally lifting the upper and lower lids.
	If pain persists or recurs seek medical attention.

Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxideb) Unusual fire and explosion hazards (hazardous combustion products):Alert Emergency Responders and tell them location and nature of hazard Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers from path of fire. Equipment should be thoroughly decontaminated after use.c) PPE for firefighters and special firefighting procedures/techniques:Alert Emergency Responders and tell them location and nature of hazard Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.c) PPE for firefighters and special firefighting procedures/techniques:Alert Emergency Responders and tell them location and nature of hazard Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. Cool fire exposed containers with water spray from a protected location.	Extinguishing media:	Water spray or fog.
BCF (where regulations permit). Carbon dioxideb) Unusual fire and explosion hazards (hazardous combustion products):Alert Emergency Responders and tell them location and nature of hazard Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.c) PPE for firefighters and special firefighting procedures/techniques:Alert Emergency Responders and tell them location and nature of hazard Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers supported to be hot. Cool fire exposed containers and tell them location and nature of hazard Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location.		
Carbon dioxideb) Unusual fire and explosion hazards (hazardous combustion products):Alert Emergency Responders and tell them location and nature of hazard Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.c) PPE for firefighters and special firefighting procedures/techniques:Alert Emergency Responders and tell them location and nature of hazard Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.c) PPE for firefighters and special firefighting procedures/techniques:Alert Emergency Responders and tell them location and nature of hazard Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location.		Dry chemical powder.
b) Unusual fire and explosion hazards (hazardous combustion products):Alert Emergency Responders and tell them location and nature of hazard Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.c) PPE for firefighters and special firefighting procedures/techniques:Alert Emergency Responders and tell them location and nature of hazard Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location.		BCF (where regulations permit).
(hazardous combustion products):Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.c) PPE for firefighters and special firefighting procedures/techniques:Alert Emergency Responders and tell them location and nature of hazard Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location.		Carbon dioxide
(hazardous combustion products):Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.c) PPE for firefighters and special firefighting procedures/techniques:Alert Emergency Responders and tell them location and nature of hazard Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location.	b) Unusual fire and explosion hazards	Alert Emergency Responders and tell them location and nature of hazard.
Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Alert Emergency Responders and tell them location and nature of hazard Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location.	· · ·	
DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.c) PPE for firefighters and special firefighting procedures/techniques:Alert Emergency Responders and tell them location and nature of hazard Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers with water spray from a protected location.	-	Prevent, by any means available, spillage from entering drains or water course.
Cool fire exposed containers with water spray from a protected location.If safe to do so, remove containers from path of fire.Equipment should be thoroughly decontaminated after use.c) PPE for firefighters andspecial firefighting procedures/techniques:Alert Emergency Responders and tell them location and nature of hazardWear breathing apparatus plus protective gloves.Prevent, by any means available, spillage from entering drains or water cUse water delivered as a fine spray to control fire and cool adjacent area.DO NOT approach containers with water spray from a protected location.		
If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.c) PPE for firefighters and special firefighting procedures/techniques:Alert Emergency Responders and tell them location and nature of hazard Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. 		
c) PPE for firefighters and Alert Emergency Responders and tell them location and nature of hazard special firefighting procedures/techniques: Alert Emergency Responders and tell them location and nature of hazard Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location.		
 c) PPE for firefighters and special firefighting procedures/techniques: Alert Emergency Responders and tell them location and nature of hazard Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. 		
 special firefighting procedures/techniques: Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. 		Equipment should be thoroughly decontaminated after use.
Prevent, by any means available, spillage from entering drains or water c Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location.		Alert Emergency Responders and tell them location and nature of hazard.
Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location.	special firefighting procedures/techniques:	
DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location.		Prevent, by any means available, spillage from entering drains or water course.
Cool fire exposed containers with water spray from a protected location.		
It sate to do so remove containers from neth of fire		
Equipment should be thoroughly decontaminated after use.		If safe to do so, remove containers from path of fire.

6. Accidental Release Measures

Precautions	Remove all ignition sources.
and spill response/procedure	Clean up all spills immediately.
	Avoid contact with skin and eyes.
	Control personal contact by using protective equipment.
	Use dry clean up procedures and avoid generating dust.
	Place in a suitable, labeled container for waste disposa
Containment materials	Avoid all personal contact, including inhalation.
	Wear protective clothing when risk of exposure occurs.
	Use in a well-ventilated area.
	DO NOT enter confined spaces until atmosphere has been checked.
	DO NOT allow material to contact humans, exposed food or food utensils.
	Avoid contact with incompatible materials.
	When handling, DO NOT eat, drink or smoke.
	Keep containers securely sealed when not in use.
	Avoid physical damage to containers.
	Always wash hands with soap and water after handling.
	Use good occupational work practice.
	Empty containers may contain residual dust which has the potential to accumulate following
	settling. Such dusts may explode in the presence of an appropriate ignition source.
	Do NOT cut, drill, grind or weld such containers
1	

Provisions for safe har	ıdling	Use personal protective equipment		
Conditions for safe sto		Store at 4°C desiccated and protected from light. Store away from oxidizing agent.		
8. Exposure Controls	s / Person	nal Protection		
Exposure limits	OSHA H	Permissible Exposure Limit(PEL) N/A		
	ACGIH	I Threshold Limit Values (TLV) N/A		
Engineering controls PPE	particula Exhaust workpla If in spi protection (a): part (b): filte (c): fres Build-up Powder measure Air cont determin contami	ite of local exhaust an adverse concentration of the substance in air could occur, respiratory ion should be considered. Such protection might consist of: ticle dust respirators, if necessary, combined with an absorption cartridge; er respirators with absorption cartridge or canister of the right type; sh-air hoods or masks up of electrostatic charge on the dust particle, may be prevented by bonding and grounding. r handling equipment such as dust collectors, dryers and mills may require additional protection res such as explosion venting. ntaminants generated in the workplace possess varying "escape" velocities which, in turn, ine the "capture velocities" of fresh circulating air required to efficiently remove the		
		inour protocol o offerpriorit		
9. Physical and Chen	nical Prop	perties		
a) Appearance (Physical State, color, etc.)		lution		
b) Odor N/.		/A		
c) Odor threshold	N/			

c) Odor threshold N/A d) pH 5-7 e) Initial Boiling Point Not available Boiling Range Not available f) Flash Point Not available g) Melting Point/Freezing point Not available h) Evaporation Rate: Not available i) Flammability (solid, gas) N/A j) Upper/Lower N/A Flammability or Explosive Not available Limits Not available k) Vapor Pressure: Not available n) Solubility(ies) Not available n) Solubility(ies) Not available n-octanol/water N/A p) Auto-Ignition N/A		
e) Initial Boiling Point Not available Boiling Range Not available f) Flash Point Not available g) Melting Point/Freezing Not available point Not available h) Evaporation Rate: Not available i) Flammability (solid, gas) N/A j) Upper/Lower N/A Flammability or Explosive N/A Limits Not available k) Vapor Pressure: Not available m) Relative Density Not available n) Solubility(ies) Not available n) Solubility(ies) Not available n) Auto-Ignition N/A	c) Odor threshold	N/A
Boiling Range Intervention of the second	d) pH	5-7
g) Melting Point/Freezing point Not available h) Evaporation Rate: Not available i) Flammability (solid, gas) N/A j) Upper/Lower Flammability or Explosive Limits N/A k) Vapor Pressure: Not available l) Vapor Density: Not available m) Relative Density Not available n) Solubility(ies) Not available o) Partition Coefficient n-octanol/water Not available p) Auto-Ignition N/A		Not available
point Intervention Rate: h) Evaporation Rate: Not available i) Flammability (solid, gas) N/A j) Upper/Lower N/A Flammability or Explosive N/A Limits N/A k) Vapor Pressure: Not available l) Vapor Density: Not available m) Relative Density Not available n) Solubility(ies) Not available o) Partition Coefficient Not available n-octanol/water N/A	f) Flash Point	Not available
i) Flammability (solid, gas) N/A j) Upper/Lower N/A Flammability or Explosive N/A Limits N/A k) Vapor Pressure: Not available l) Vapor Density: Not available m) Relative Density Not available n) Solubility(ies) Not available o) Partition Coefficient Not available n-octanol/water N/A		Not available
j) Upper/Lower Flammability or ExplosiveN/AFlammability or ExplosiveNLimitsNot availablek) Vapor Pressure:Not availablel) Vapor Density:Not availablem) Relative DensityNot availablen) Solubility(ies)Not availableo) Partition Coefficient n-octanol/waterNot availablep) Auto-IgnitionN/A	h) Evaporation Rate:	Not available
Flammability or Explosive Limits k) Vapor Pressure: Not available l) Vapor Density: Not available m) Relative Density Not available n) Solubility(ies) Not available o) Partition Coefficient Not available n-octanol/water N/A	i) Flammability (solid, gas)	N/A
l) Vapor Density: Not available m) Relative Density Not available n) Solubility(ies) Not available o) Partition Coefficient Not available n-octanol/water Not available p) Auto-Ignition N/A	Flammability or Explosive	N/A
m) Relative Density Not available n) Solubility(ies) Not available o) Partition Coefficient Not available n-octanol/water Not available p) Auto-Ignition N/A	k) Vapor Pressure:	Not available
n) Solubility(ies) Not available o) Partition Coefficient Not available n-octanol/water Not available p) Auto-Ignition N/A	l) Vapor Density:	Not available
o) Partition Coefficient Not available n-octanol/water N/A	m) Relative Density	Not available
n-octanol/water p) Auto-Ignition N/A	n) Solubility(ies)	Not available
		Not available
		N/A

q) Decomposition	Not available	
Temperature		
r) Viscosity	Not avaialble	
s) Other	N/A	
10. Stability and Reactiv	it.,	
10. Stability and Keactiv	<u>ity</u>	
a) Reactivity		N/A
b) Chemical stability N		N/A
c) Possibilities of hazardor	is Reactions	N/A
d) Conditions to avoid		N/A
e) Incompatible materials		N/A
f) Hazardous decompositi	on products	COx, NOx when burned
11. Toxicological Inform	<u>ation</u>	
a) Likely routes of exposur	е	Absorption through skin or ingestion
b) Description of the symp	toms	
c) Effects from short- and long- term exposure	Immediate effects:	May cause irritation and sensitization after prolonged exposure.
	Delayed effects:	May cause irritation and sensitization after prolonged exposure.

13. Disposal Considerations

12. Ecological Information

d) Toxicity

e) Carcinogenicity:

All waste must be handled in accordance with local, state and federal regulations. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

Not available

Not available

May cause irritation and sensitization after prolonged exposure.

14. Transport Information

N/A
N/A
N/A
N/A
N

15. Regulatory Information

US TSCA (Toxic Substance Control Act): N/A

US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act: N/A

US SARA Title III (Superfund Amendments and Reauthorization Act: N/A

Chronic effects:

US Clean Air Act: Listed under Hazardous Air Pollutants: N/A Listed under Class 1 Ozone Depletors: N/A Listed under Class 2 Ozone Depletors: N/A US Clean Water Act: Listed under "Hazardous Substances": N/A Listed under "Priority Pollutants": N/A Listed under "Toxic Pollutants": N/A US States: Right-to-Know: Listed in the following States: N/A California Proposition 65: NO European/International Regulations: EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number: N/A WGK (Water Danger / Protection): N/A Canada – DSL/NDSL: Not Listed Canada – WHMIS classification: N/A

Canada – Canadian Ingredient Disclosure List: Not Listed

16. Other Information

The above information is believed to be correct but does not purport to be all inclusive. Users of this SDS shall understand it is to be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. Users are granted the right to make unlimited copies of this SDS for internal use only. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product. The date of first preparation or last revision is listed at the top of this SDS.